

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



*Duplicate*



Southwick \* Nurseries.

1890

WHOLESALE CATALOGUE

OF

North American Perennials,

NEW TIGRIDIAS,

▲ CALIFORNIA ▲ BULBS, ▲ ETC. ▲

...

GROWN AND FOR SALE BY

GILLETT & HORSFORD,

SOUTHWICK, MASS., U. S. A.

CLARK & STORY, PRINTERS, WESTFIELD, MASS.

# GREETING.



OUR patrons will be pleased to learn that EDWARD GILLETT of this place, and F. H. HORSFORD & Co. (formerly Pringle & Horsford), of Charlotte, Vermont, have united their business at SOUTHWICK, MASS., under the firm name of GILLETT & HORSFORD. Southwick is situated on the Northampton Branch of the N. Y., N. H. & H. R. R., about one hundred miles from New York. Goods by express reach New York or Boston within five hours after shipment, and the cost of carriage to all points from here is comparatively light. In thus uniting we are able to offer our customers a much larger number of choice plants than ever before, and at lower rates for most of them.

We claim to have learned the best method of packing these plants, and can send them to any point in Europe, either by mail, or packed in boxes by express, and have them reach their destination *perfectly fresh*. We do not ask you to take our word for this, but we will refer you, if desired, to customers who have dealt with us for the past ten years. We always aim to treat our customers in a manner that will secure a continuance of their patronage.

The plants of this list from the Southwest—Southern California, Arizona, Mexico, etc., are marked *S. W.* Those marked *Cal.* are from the more central portions of California. *N. W.* means Northwest—Washington, Oregon, etc. *M.* means from the middle portion of the United States—meaning the section north of Maryland; *Vt.* means from Vermont or Northern New England, and *S.* means South. All from the *M.* and *Vt.* localities are hardy so far as cold weather is concerned, and many from the *N. W.* and mountainous regions of the *S. W.* and *Cal.* will stand some freezing. In cold climates a covering of six inches to a foot of dry forest leaves will be a sufficient protection *from frost* for almost every plant in this list.

## ÷ ÷ ÷ TERMS. ÷ ÷ ÷

Prices are in American money. Six at dozen rates, twenty-five at 100 rates, 500 at 1000 rates. *No charge for packing.*

One dollar is equal in value to a trifle more than four English shillings, four German marks, or five francs.

All bills will be due upon receipt of goods, unless by special agreements. Unknown parties should give good references.

Remit by draft on New York, London, or by Post Office Order on Westfield, Mass.

Orders filled as soon as the plants are ripe, mostly from September until December, but orders should reach us early.

Parties desiring Tree Seeds in quantity should communicate with us.

Address all communications to

GILLETT & HORSFORD,

SOUTHWICK, MASS., U. S. A.

*Duplicate*

# Wholesale Catalogue

—OF—

## North American Perennial Plants, Etc.



TRILLIUM GRANDIFLORUM.

### PERENNIAL PLANTS.

	Per 12	Per 100	Per 1000
ACTÆA alba. . . . .	\$0 75	\$4 00	
spicaeta var. fructorubra, . . . . .	75	4 00	
ALLIUM (Wild Onion)—			
acuminatum. 4 to 6 in. high; flowers deep purple;			
N. W. . . . .	1 00	5 00	
cernuum. 10 to 15 in.; flowers light rose or pink; M. . .	50	3 00	
hæmastochiton. 4 to 12 in.; flowers rose purple; S. W. .	1 25	7 00	
falcatum. N. W. . . . .	2 00		
madidum. N. W. . . . .	1 25	6 00	

	Per 12	Per 100	Per 1000
ALLIUM scaposum. 12 to 15 in.; flowers pink, veined with purple; S. W. . . . .	\$1 50	\$8 00	
serratum. N. W. . . . .	1 25		
reticulatum, . . . . .	75	4 00	
triccocum. 10 to 20 in.; flowers white; leaves broad, shiny; Vt. . . . .	50	3 00	
uniflorum. 3 to 15 in.; flowers rose or pink; S. W. . . . .	1 00	5 00	
vallidum. 1½ to 2 ft.; flowers rose purple; N. W. . . . .	1 25		
ALETRIS farinosa. 2 to 3 ft.; flowers white; M. . . . .	75	4 00	
AMARYLLIS Atamasco. S. . . . .	50	3 00	
Tretea. S. . . . .	50	3 00	
ANDROSTEPHIUM violaceum, . . . . .	1 50		
ANEMONE Caroliniana. S. W. . . . .	75	4 00	
nemorosa. Vt. . . . .	50	3 00	
multifida. 6 to 20 in.; flowers nearly white; Vt. . . . .	2 00		
patens var. Nuttalliana, . . . . .	75	4 00	25 00
Pennsylvanica. 8 to 15 in.; flowers light rose; Vt. . . . .	75	4 00	18 00
AQUILEGIA (Columbine)—			
Canadensis. 8 to 20 in.; flowers yellow and red; Vt. . . . .	1 00	4 00	20 00
cærulea. Flowers white, . . . . .	1 00	5 00	
chrysantha. Cal. . . . .	1 00	5 00	30 00
flavescens. N. W. . . . .	1 40	6 00	
formosa. 2 to 3 ft.; flowers red, with yellow centre; N. W. . . . .	1 00	5 00	
AQUILEGIA CANADENSIS. ASCLEPIAS (Milkweed)—			
tuberosa. 1 to 2 ft.; flowers greenish orange; M. . . . .	75	4 00	
incarnata. 2 to 3 ft.; flowers rose purple; Vt. . . . .	75	4 00	
amplexicaulis. S. . . . .	1 00	5 00	
Michauxii. S. . . . .	1 00	5 00	
quadrifolia. M. . . . .	75	4 00	
verticillata. Vt. . . . .	75	4 00	
APIOS tuberosa. Vt. . . . .	75	4 00	
ARALIA hispida. Vt. . . . .	75	4 00	
quinquefolia (Ginseng), . . . . .	1 00	5 00	
trifolia. Vt. . . . .	50	3 00	
ARISTOLOCHIA serpentaria. M. . . . .	1 00	5 00	
ASARUM ariæfolium, . . . . .	75	4 00	
canadense. Vt. . . . .	1 00	5 00	30 00
caudatum. Cal. . . . .	1 00	5 00	
Virginicum. M. . . . .	1 00	5 00	
ASCYRUM stans, . . . . .	75	4 00	
ASTER ericoides. Leaves small; flowers large, white, . . . . .	75	4 00	
lævis. M. . . . .	1 00	5 00	30 00
multiflorus. M. . . . .	75	4 00	25 00
Novæ Angliæ. M. . . . .	1 00	5 00	30 00
patens. M. . . . .	75	4 00	25 00
ASTRAGALUS Robbinssii. Vt. . . . .	1 25	5 50	
BAPTISIA tinctoria, . . . . .	75	4 00	



	Per 12	Per 100	Per 1000
BESSERA elegans. S. . . . .	\$1 25	\$6 00	
BLOOMERIA aurea. S. W. . . . .	1 50	7 50	
BRODLEA capitata. 3 to 8 in.; flowers purple, . . . . .	1 00	4 00	
congesta. 6 to 30 in.; flowers purple; Cal. . . . .	1 00	4 00	
grandiflora. 3 to 5 in.; flowers rose purple; Cal. . . . .	1 00	4 00	
grandiflora minor, . . . . .	1 00	4 50	
Hendersonii, . . . . .	2 00		
Howellii. 2 to 3 ft.; flowers white; N. W. . . . .	1 00	5 00	
ixioides. 10 to 20 in.; flowers yellow; Cal. . . . .	1 00	5 00	
lactea. 10 to 20 in.; N. W. . . . .	1 00	4 00	
laxa. 6 to 20 in.; flowers light blue; Cal. . . . .	1 00	4 00	
multiflora. 1 to 2 ft.; flowers in a close head, purple; Cal. . . . .	1 25	5 00	
stellaris. 6 to 18 in.; flowers purple, with a white centre; Cal. . . . .	1 25	5 00	
terestris. 3 to 4 in.; Cal. . . . .	1 25	5 00	
coccinea. 8 to 15 in.; long scarlet flowers, tipped with green; Cal. . . . .	1 00	5 00	
CALLIRHOE involucrata. S. . . . .	75	4 00	30 00
CALOCHORTUS (Butterfly Tulip)—			
albus. 10 to 20 in.; flowers large, white; Cal. . . . .	1 75	5 00	
Benthami. 5 to 10 in.; flowers light yellow; Cal. . . . .	1 50	8 00	
caeruleus. 3 to 6 in.; flowers white; Cal. . . . .	1 25	7 00	
flavus. Flowers yellow; S. W. . . . .	1 25	6 00	
Howellii. N. W. . . . .	2 00		
longibarbus. 10 to 12 in.; flowers purple; N. W. . . . .	1 25	6 00	
lilacinus. 4 to 8 in.; flowers lilac; N. W. . . . .	1 25	6 00	
lutens. Flowers yellow and purple; Cal. . . . .	1 00	5 00	
macrocarpus. 10 to 15 in.; flowers purple or sometimes lilac; Cal. . . . .	1 25	6 00	
madrensis. New species; S. W. . . . .	2 00	10 00	
Nuttallii. 6 to 12 in.; Cal. . . . .	1 25	5 00	
paniculatus. 2 to 8 in.; flowers white; Cal. . . . .	1 00	5 00	
pulchellus. 4 to 6 in.; flowers lilac; Cal. . . . .	1 00	5 00	
splendens. 1 to 3 ft.; flowers rose or pale lilac; Cal. . . . .	1 50	6 00	
Gunnisoni. Cal. . . . .	1 25	5 00	
venustus. 6 to 18 in.; flowers white; Cal. . . . .	1 00	5 00	
"  oculatus. Cal. . . . .	1 25	5 00	
"  citrinus. Cal. . . . .	1 25	5 00	
"  roseus. Cal. . . . .	1 25	5 00	
Weedii. 8 to 15 in.; flowers deep yellow with a dark brown spot on each petal; S. W. . . . .	2 50	12 00	
CAMASSIA (Wild Hyacinth)—			
esculenta. 6 to 12 in.; flowers purple; Cal. . . . .	1 00	4 00	
Fraseri. 8 to 14 in.; flowers pale blue; N. W. . . . .	1 00	4 50	
CAMPANULA rotundifolia. Vt. . . . .	75	4 00	




	Per 12	Per 100	Per 1000
CASSIA Marilandica. M.	\$1 00	\$5 00	
CAULOPHYLLUM thalic-			
troides. M.	1 00	5 00	
CIMICIFUGA racemosa. M.	75	4 00	
CHIMAPHYLLA—			
umbellata. Vt.	75	4 00	
maculata. M.	75	4 00	
COMMELYNA Virginica.	75	4 00	
COOPERIA Drummondii.			
Flowers white and			
red,	1 00	5 00	
Oberwetteri,	1 00	5 00	
pedunculata. White			
and yellow,	1 00	5 00	
COREOPSIS lanceolata.			
M.	75	4 00	
CORNUS Canadensis. Vt.	1 00	5 00	30 00
CORYDALIS Scouleri. Flowers rose. N. W.	1 00	5 00	
CHLOROGALUM pomeridianum (Soap Plant). 1 to 3 ft.;			
flowers purple and white; rich loose soil; not wet; Cal.	1 50	8 00	
CLAYTONIA (Spring Beauty)—			
Caroliniana. 2 to 5 in.; Vt.	1 00	3 00	
Virginica. 3 to 6 in.; flowers light pink; Vt.	1 75	3 00	20 00
parviflora. N. W.	1 00	5 00	
CLINTONIA borealis. 6 to 12 in.; leaves broad, silvery;			
flowers yellowish green; Vt.	50	3 00	18 00
uniflora. N. W.	1 00	5 00	
CRINUM Americanum. S.	1 50	8 00	
CYCLOBOTHRA flava. S.	1 00	4 00	
CYNTHIA Virginica. M.	75	4 00	
DAHLIAS, single. Collected Mexican roots,	40	3 00	
DALIBARDIA repens. Vt.	75	4 00	
DENTARIA (Tooth-wort or Pepper-Root)—			
diphylla. 8 to 15 in.; flowers white; Vt.	50	3 00	25 00
laciniata. 6 to 12 in.; flowers light blue; Vt.	1 00	5 00	
maxima. Vt.	1 00	5 00	
DICENTRA (Dutchman's Breeches)—			
Canadensis. 4 to 10 in.; flowers greenish white, tinged			
with rose; Vt.	50	3 00	
cucularia. 4 to 10 in.; Vt.	50	3 00	
formosa. N. W.	1 00	5 00	
DODECATHEON Meadia. M.	75	3 50	20 00
EPIGÆA repens. Vt.	1 00	5 00	
ERIGENIA bulbosa. M.	75	4 00	
EUPHORBIA corallata,	75	3 50	20 00
ERYTHRONIUM (Dog's-tooth Violet)—			
albidum. 5 to 10 in.; flowers bluish white; M.	75	4 00	
“ var. coloratum. Flowers pinkish; S. W.	1 00	4 00	30 00
Americanum. 5 to 12 in.; flowers light yellow; Vt.	50	3 00	20 00
citrinum. N. W.	2 00		
giganteum. 6 to 12 in.; N. W.	1 00	6 00	



	Per 12	Per 100	Per 1000
<b>ERYTHRONIUM grandiflorum.</b> 4 to 7 in.; flowers yellow- ish cream color; N. W. . . . .	\$0 75	\$4 00	
Hendersonii. N. W. . . . .	2 00		
Howellii. N. W. . . . .	2 00		
Smithii. Cal. . . . .	75	4 00	
<b>EUPATORIUM ageratoides,</b> . . . . .	75	4 00	30 00
<b>EUSTYLIS purpurea,</b> . . . . .	1 50		
<b>FRITTILLARIA—</b>			
lanceolata. 6 to 12 in.; flowers purple; N. W. . . . .	1 25	6 00	
liliacea. 8 to 18 in.; flowers light green; Cal. . . . .	1 00	5 00	
parviflora. 1 to 2 ft.; flowers yellow; Cal. . . . .	1 25	6 00	
pudica. 3 to 5 in.; flowers orange yellow; Cal. . . . .	1 00	5 00	
recurva. 1 to 2 ft.; flowers brilliant crimson; Cal. . . . .	1 00	5 00	
biflora. Cal. . . . .	1 50	6 50	
<b>GALAX aphylla.</b> S. . . . .	1 00	5 00	30 00
<b>GENTIANA (Gentian)—</b>			
Andrewsii. 10 to 12 in.; flowers blue; closed, an inch or more in length; moist rich soil; Vt. . . . .	75	4 00	25 00
affinis var. ovata. Cal. . . . .	1 25	6 00	
calycosa. 4 to 6 in.; flowers blue; banks of alpine streams; N. W. . . . .	1 25		
crinita (Fringed Gentian). Biennial, . . . . .	75	4 00	
liniaria. Vt. . . . .	75	4 00	
Oregana. N. W. . . . .	1 25		
<b>GERANIUM maculatum.</b> Vt. . . . .	75	4 00	
<b>GRATIOLA aurea.</b> Vt. . . . .	50	3 00	
<b>HEUCHERA Americana.</b> M. . . . .	75	4 00	
<b>HIBISCUS acueatus,</b> . . . . .	1 00		
Moscheutos rosa, . . . . .	75	4 00	
<b>HOUSTONIA cærulea.</b> A biennial; Vt. . . . .	50	3 00	
rotundifolia. S. S. . . . .	75	4 00	
purpurea. Vt. . . . .	75	4 00	
<b>HYDRASTIS Canadensis,</b> . . . . .	75	4 00	
<b>HYPOXIS erecta,</b> . . . . .	50	3 00	
<b>IRIS versicolor.</b> 1 to 2 ft.; flowers blue and white; wet meadows and swamps; Vt. . . . .	50	3 00	
Virginica. 1 to 2 ft.; flowers blue and white; marshes near the coast; M. . . . .	1 00	5 00	
vena. M. . . . .	50	3 00	
cristata. M. . . . .	50	3 00	
longipetala. N. W. . . . .	1 25	6 00	
hexagona, . . . . .	1 25	6 00	
<b>JEFFERSONIA diphylla,</b> . . . . .	1 00		
<b>LEWISIA rediviva.</b> 3 to 4 in.; flowers large, creamy white or sometimes rose; N. W. . . . .	1 00	5 00	
<b>LIATRIS elegans,</b> . . . . .	1 00	5 00	
odoratissima. S. . . . .	1 00	5 00	
scariosa. M. . . . .	75	3 00	
spicata. M. . . . .	75	3 00	
<b>LILIUM (Lily)—</b>			
auratum (Golden-Rayed Lily of Japan), . . . . .	2 00		

	Per 12	Per 100	Per 1000
LILIUM Batemanniae. A Japan lily; 3 to 4 ft. . . . .	\$2 50	\$12 00	
Boulanderi. N. W. . . . .	10 00		
Brownii, . . . . .	12 00		
Canadense. 1 to 5 ft.; flowers drooping, yellow and red; Vt. . . . .	75	4 00	30 00
“ var. rubrum. Vt. . . . .	1 25	6 00	
“ var. flavum. Vt. . . . .	1 00	5 00	
Catesbaei. S. . . . .	2 00		
Chalcedonicum, . . . . .	5 00		
Columbianum, . . . . .	1 50	6 00	
concolor, . . . . .	2 00	12 00	
coridion, . . . . .	2 00	12 00	
excelsum, . . . . .	5 00		
Hansonii, . . . . .	10 00		
Humboldtii. 3 to 6 ft.; flowers reddish orange; Cal. . . . .	2 50	14 00	
Japonica Colchesteri, . . . . .	8 00		
Krameri. Native of Japan; 2 to 4 ft. . . . .	3 00	20 00	
Leichtlini. 2 to 3 ft.; flowers yellow, spotted purple, . . . . .	5 00		
longiflorum. 1 to 2 ft.; flowers long, pure white, . . . . .	2 00	12 00	
pardalinum. 3 to 7 ft.; flowers orange red; Cal. . . . .	1 30	8 00	
Parryi. 2 to 5 ft.; flowers lemon yellow, fragrant, . . . . .	4 00	20 00	
parvum. 2 to 5 ft.; flowers yellow, spotted; Cal. . . . .	3 00	15 00	
Philadelphicum. 1 to 2 ft.; flowers erect, red; Vt. . . . .	75	4 00	30 00
Pomponium verum. 1½ to 3 ft.; flowers red and orange, . . . . .	2 00		
Pomponium album, . . . . .	3 00		
pulchellum. 6 to 12 in.; flowers bright scarlet, with black spots, . . . . .	2 50	13 00	
superbum. 3 to 7 ft.; flowers yellowish red; M. . . . .	75	4 00	
superbum. Extra large bulbs, . . . . .	2 25	12 00	
tenuifolium. 6 to 12 in.; pretty bright scarlet flowers, . . . . .	2 00	16 00	
tigrinum, . . . . .	1 00	5 00	
“ flore plena, . . . . .	1 25	6 00	
Wallacei. A magnificent Japanese variety, with clear buff flowers spotted with black; very distinct, . . . . .	1 50	8 00	
Washingtonianum. 3 to 7 ft.; flowers white, . . . . .	2 50	15 00	
LOBELIA cardinalis. Vt. . . . .	50	3 00	20 00
syphilitica. Vt. . . . .	75	4 00	
MERTENSIA Virginica. M. . . . .	75	4 00	25 00
MEDEOLA Virginica. Vt. . . . .	1 00	5 00	
MITCHELLA repens. Vt. . . . .	1 00	5 00	
MITELLA diphylla. Vt. . . . .	50	3 00	18 00
nuda. Vt. . . . .	75	4 00	
MILLA biflora. 6 to 20 in.; flowers pearly white, 1½ to 2½ inches wide; S. W. . . . .	75	4 00	
NEMASTYLIS coelestina, . . . . .	1 50	6 00	
geminiflora, . . . . .	1 50	8 00	
Pringlei, . . . . .	1 50	8 00	
tenuis, . . . . .	1 50	8 00	
OXALIS Acetosella, . . . . .	75	4 00	
Drummondii. Flowers rose: Texas, . . . . .	1 00	5 00	
violacea, . . . . .	75	4 00	



MILLA BIFLORA.

	Per 12	Per 100	Per 1000
PARNASSIA (Grass of Parnassus)—			
Caroliniana. 6 to 15 in.; flowers white; Vt.	. 80 75	\$4 00	\$20 00
fimbriata. N. W.	. 1 00	5 00	
asarifolia. M.	. 1 00	5 00	
PASSIFLORA incarnata. S.	. 1 00	5 00	
PENTSTEMON pubescens. M.	. 75	4 00	
PHLOX Carolina.	. 75	4 00	
divaricata.	. 1 00	5 00	
maculata.	. 75	4 00	
pilosa. M.	. 1 00	5 00	
reptans,	. 1 00	5 00	
subulata,	. 75	4 00	
PALMETTO (Dwarf Palm). S.	. 2 50		
PINGUICULA elatior,	. 75	4 00	
lutea,	. 1 00	5 00	
pumila,	. 1 00	5 00	
PODOPHYLLUM peltatum,	. 1 00	5 00	
POLYGALA paucifolia,	. 1 00	5 00	
Senega,	. 1 00	5 00	
PRIMULA Mistassinica,	. 1 00	5 00	
PANCRATUM rotatum. 1 to 2 ft.; S.	. 2 50	10 00	
RHEXIA glabella,	. 1 00	5 00	
lutea. Flowers yellow,	. 1 00	5 00	
Mariana,	. 1 00	5 00	
serrulata,	. 1 00	5 00	
Virginica. Vt.	. 50	3 00	20 00
SABBATIA chloroides,	. 1 00	5 00	
SAXIFRAGA Pennsylvanica. Vt.	. 75	4 00	
Virginensis. Vt.	. 50	3 00	12 00
mertensiana. N. W.	. 1 00	5 00	
SEDUM nevii. S. Fine,	. 1 00	5 00	
pulchellum,	. 1 00	5 00	
ternatum,	. 75	4 00	
SHORTIA galacifolia. M.	. 1 50	6 00	

	Per 12	Per 100	Per 1000
<b>SILENE stellata</b> , . . . . .	\$1 00	\$5 00	
<i>Pennsylvanica</i> , . . . . .	75	4 00	
<i>Virginica</i> , . . . . .	1 00	5 00	40 00
<b>SILPHIUM laciniatum</b> , . . . . .	1 25	5 50	
<b>SANGUINARIA Canadensis</b> (Blood Root). 6 to 10 in.; Vt.	75	4 00	25 00
<b>STREPTOPUS (Twisted Stalk)—</b>			
<i>amplexifolius</i> . 2 to 3 ft.; flowers small, greenish white; cold and moist woods; Vt. . . . .	1 00	5 00	
<i>roseus</i> . 6 to 20 in.; flowers small, rose purple; cool and damp woods; Vt. . . . .	75	4 00	
<b>SYNTHYRIS reniformis</b> . N. W. . . . .	1 25		
<b>SOLIDAGO nemoralis</b> , . . . . .	75	4 00	20 00
<i>odora</i> (Sweet Golden-rod), . . . . .	1 00	5 00	
<b>STYLOPHORUM diphyllum</b> . Flowers large, yellow, . . . . .	1 00	5 00	
<b>THALICTRUM anemonoides</b> . M. . . . .	75	4 00	25 00
<i>cornuti</i> . Vt. . . . .	50	3 00	
<i>dioicum</i> . Vt. . . . .	75	4 00	
<b>TIARELLA cordifolia</b> . Vt. . . . .	50	2 50	18 00
<b>TIGRIDIA buccifera</b> . A new species from Texas, . . . . .	1 50	6 00	
<i>conchiflora</i> , . . . . .	40	2 50	
<i>grandiflora</i> , . . . . .	40	2 50	
<i>grandiflora alba</i> , . . . . .	75	4 50	
<i>Pringlei</i> , . . . . .	1 50	8 00	
<b>TRADESCANTIA Virginica</b> , . . . . .	75	4 00	
<b>TRILLIUM (Three-leaved Night-shade, Wake Robin)—</b>			
<i>cernuum</i> . 1 to 2 ft.; flowers white; Vt. . . . .	75	4 00	25 00
<i>erectum</i> . 1 to 2 ft.; flowers dark purple; Vt. . . . .	75	4 00	30 00
" <i>var. album</i> , . . . . .	1 00	5 00	
<i>erythrocarpum</i> . 1 to 2 ft.; flowers white, striped with purple; Vt. . . . .	1 00	5 00	
<i>grandiflorum</i> . 6 to 20 in.; flowers 2 to 3 inches in diameter, pure white, turning to deep rose with age; Vt. . . . .	75	3 00	20 00
<i>nivale</i> . A small, dwarfish species; flowers white; M. . . . .	1 00	5 00	40 00
<i>ovatum</i> . 3 to 10 in.; flowers white, red or pink; N. W. . . . .	1 50	6 00	
<i>petiolatum</i> . 3 to 6 in.; flowers dull purple; N. W. . . . .	1 25	6 00	
<i>recurvatum</i> . M. . . . .	1 00	5 00	
<i>sessile</i> . Flowers yellow, pink and red; M. . . . .	1 00	5 00	
" <i>Californicum</i> . 10 to 15 in.; flowers rose color; Cal. . . . .	1 25	7 00	
<i>stylosum</i> . S. . . . .	1 50	7 50	
<b>TROLLIUS laxus</b> , . . . . .	1 00		
<b>UVULARIA (Bellwort)—</b>			
<i>grandiflora</i> . 8 to 20 in.; flowers pale yellow; Vt. . . . .	75	4 00	25 00
<i>sessilifolia</i> . 8 to 12 in.; flowers smaller, pale yellow; Vt. . . . .	75	4 00	
<i>perfoliata</i> . M. . . . .	75	4 00	
<b>VANCOUVERIA hexandra</b> , . . . . .	1 00	5 00	
<b>VIOLA (Wild Violet)—</b>			
<i>Canadensis</i> . 6 to 15 in.; flowers white, tinged with violet; stems leafy; Vt. . . . .	75	4 00	

	Per 12	Per 100	Per 1000
<i>VIOLA blanda</i> , . . . . .	\$0 75	\$4 00	
<i>canina</i> var. <i>sylvestris</i> , . . . . .	75	4 00	
<i>cuculata</i> . 3 to 8 in.; flowers blue; Vt. . . . .	50	3 00	
<i>rostrata</i> . 5 to 10 in.; flowers pale blue; Vt. . . . .	75	4 00	
<i>pubescens</i> . 5 to 12 in.; flowers yellow, veined with purple; Vt. . . . .	75	4 00	
<i>rotundifolia</i> . 2 to 5 in.; flowers yellow, marked with brown lines; Vt. . . . .	75	4 00	
<i>renifolia</i> . 2 to 4 in.; flowers purple and white; Vt. . . . .	1 00	5 00	
<i>primulæfolia</i> . M. . . . .	75	4 00	
<i>lanceolata</i> . M. . . . .	75	4 00	
<i>pedata</i> . Clumps, . . . . .	1 00	5 00	25 00
" var. <i>bicolor</i> , . . . . .	1 25	5 50	
<i>XEROPHYLLUM asphodeloides</i> , . . . . .	1 00	5 00	
<i>YUCCA filamentosa</i> , . . . . .	2 00		
<i>ZEPHYRANTHES candida</i> , . . . . .	50	3 00	
<i>longifolia</i> , . . . . .	1 25	6 00	
<i>Texana</i> , . . . . .	50	3 00	
<i>ZYGADENUS Fremontii</i> . 5 to 15 in.; flowers greenish white; Cal. . . . .	1 25		
<i>elegans</i> . N. W. . . . .	1 35		
<i>Nuttalli</i> . S. . . . .	1 25		
<i>venenosus</i> . 1 to 3 ft.; flowers yellowish white; N. W. . . . .	1 25		

## BOG AND AQUATIC PLANTS.


Aquatics marked with a Star (\*).



*DIONEÆ MUSCIPULÆ.*

	Per 12	Per 100	Per 1000
<i>ACORUS Calamus</i> . Vt. . . . .	\$0 75	\$4 00	
* <i>BRASENIA peltata</i> . M. . . . .	75	4 00	
<i>CALLA palustris</i> . Vt. . . . .	75	4 00	20 00
<i>CALTHA palustris</i> . Vt. . . . .	75	3 00	18 00
<i>leptosepala</i> . N. W. . . . .	1 50	9 00	

	Per 12	Per 100	Per 1000
DARLINGTONIA (California Pitcher Plant)—			
Californica. Flowers purple; Cal. . . . .	\$2 00	\$10 00	
DIONEÆA muscipula (Venus' Fly Trap). 8 to 12 in.; S. . . . .	1 25	5 00	
DROSERA (Sundew)—			
rotundifolia. 6 to 12 in.; flowers white; peat bogs; Vt. . . . .	50	3 00	
filiformis. S. . . . .	1 25	5 00	
longifolia. M. . . . .	75	4 00	
*LIMNANTHEMUM lacunosum. M. . . . .	75	4 00	
*NELUMBIUM luteum. W. . . . .	1 50	7 00	
MENYANTHES trifoliata. Vt. . . . .	75	4 00	



## NYMPHÆA (Water Lily)—

*gracilis, from Mexico, . . . . .	3 00		
*Mexicana, . . . . .	2 50		
*odorata. Flower white, fragrant, often 5 in. in diameter; Vt. . . . .	1 00	5 00	30 00
*odorata, var. minor. A smaller form; Vt. . . . .	1 00	5 00	35 00
*tuberosa. Flowers white, 4 to 9 in. wide, not fragrant; leaves 8 to 15 in. wide; lakes and slow rivers; Vt. . . . .	1 25	6 00	45 00
NYMPHÆA ODORATA.			
NUPHAR (Yellow Pond Lily)—			
*advena. Flowers yellow, 2 to 4 in. wide; Vt. . . . .	1 00	5 00	40 00
*pumilum ( <i>Kalmianum</i> ). Much smaller; 1½ to 1 in. wide; yellow; Vt. . . . .	1 25	5 00	40 00
ORONTIUM aquaticum. M. . . . .	1 50	5 00	
PELTANDRA Virginica (Arrow Arum). Flowers white; Vt. . . . .	1 25	6 00	
*PONTEDERIA cordata (Pickerel Weed). Flowers in a spike, violet blue; Vt. . . . .	1 00	5 00	35 00
SARRACENIA (Pitcher Plant)—			
Drummondii. 2 ft.; flowers purplish brown, 3 to 4 in. in diameter; S. . . . .	2 50	10 00	
flava. 1 to 3 ft.; low sandy wastes; S. . . . .	1 50	8 00	
rubra. 8 to 10 in.; flowers small; S. . . . .	1 50	8 00	
purpurea. 10 to 20 in.; flowers and leaves purple; Vt. . . . .	75	4 00	25 00
psitacina. 6 to 12 in.; flowers purplish brown; S. . . . .	2 50	10 00	
variolaris. 5 to 10 in.; flowers 2 in. wide, yellow; S. . . . .	1 50	8 00	
TYPHA latifolia. Vt. . . . .	75	4 00	

---

## ORCHIDS.

	Per 12	Per 100	Per 1000
APLECTRUM hyemale (Putty Root, Adam and Eve). 10 to 15 in.; flowers yellow and purple; Vt. . . . .	\$1 00	\$5 00	
ARETHRUSA bulbosa. 6 to 15 in.; flowers single, erect, 1 to 2 in. long, beautiful rose purple; Vt. . . . .	1 25	6 00	
CALYPSO borealis. 4 to 10 in.; flowers solitary, very large for the size of the plant, pink, purple and white; a charming little plant; cedar swamps; Vt. . . . .	1 00	5 00	

	Per 12	Per 100	Per 1000
CALOPOGON pulchellus. About 1 ft. high, with 2 to 6 pink and purple flowers; Vt. . . . .	\$0 50	\$3 00	\$20 00
multiflorus. S. . . . .	1 50	6 00	
CYPRIPEDIUM (Lady Slipper, Moccason Flower)—			
acaule. 8 to 12 in.; flowers single, rose purple or sometimes white; Vt. . . . .	1 00	5 00	
arietinum (Ram's Head L.). 6 to 12 in.; flowers small, red, brown and white; Vt. . . . .	2 00	10 00	
Californicum. Yellow and white. . . . .	3 00	15 00	
fasciculatum. From Oregon, . . . . .	3 00	15 00	
candidum. 8 to 12 in.; flowers brown and white; M. . . . .	2 00	9 00	
montanum (occidentale). 8 to 20 in.; flowers nearly white; very pretty; N. W. . . . .	2 00	8 00	
parviflorum (Small Yellow L.). 6 to 8 in.; flowers yellow; Vt. . . . .	1 50	7 00	
pubescens (Large Yellow L.). 12 to 18 in.; flowers yellow. Vt. . . . .	1 50	7 00	
spectabile (Showy L.). 1 to 3 ft.; flowers large and beautiful, pink, purple and white; the finest of this genus; Vt. . . . .	2 00	8 00	70 00
EPIDENDRUM conopseum (Tree Orchis). S. . . . .	1 25	6 00	
Tampensis (Tree Orchis). S. . . . .	1 00	5 00	
GOODYEARA (Rattlesnake Plantain)—			
Menziesii. 8 to 15 in.; flowers white, leaves spotted; N. W. . . . .	1 25	7 50	
pubescens. 8 to 15 in.; leaves strongly white, reticulated; flowers white; Vt. . . . .	75	4 00	20 00
repens. 5 to 8 in.; flowers white; Vt. . . . .	75	4 00	
HABENARIA (Reine Orchis)—			
blepharioglottis (White Fringed O.), . . . . .	1 50	8 00	
ciliaris. 1 to 2 ft.; flowers bright orange yellow; M. . . . .	1 00	5 00	
dilatata. 1 to 3 ft.; flowers pearly white, in a long spike; Vt. . . . .	1 25	7 50	
elegans. N. W. . . . .	1 50	7 50	
Hookeri. 1 to 2 ft.; flowers greenish yellow; orbicular, 3 to 4 inches broad; Vt. . . . .	1 50	6 00	
hyperborea. 1 to 3 ft.; flowers greenish white; Vt. . . . .	1 35	7 00	
lacera. . . . .	1 25		
obtusata. 6 to 12 in.; greenish white flowers; Vt. . . . .	1 75	9 00	
orbiculata. 1 to 2 ft.; flowers almost white; Vt. . . . .	1 75	9 00	
psycoides. 1 to 3 ft.; flowers in a short spike, rose purple; Vt. . . . .	1 00	5 00	40 00
tridentata. 6 to 12 in.; flowers yellowish green; Vt. . . . .	1 25	6 00	
virescens. . . . .	75	4 00	
viridis var. bracteata. 6 to 15 in.; Vt. . . . .	1 50	8 00	
fimbriata. M. . . . .	1 25	6 50	
LIPARIS (Twayblade)—			
lilifolia. 5 to 10 in.; flowers brownish purple; M. . . . .	75	4 00	
Læselii. 3 to 8 in.; flowers greenish yellow; Vt. . . . .	75	4 00	
ORCHIS spectabilis (Showy Orchis). 4 to 7 in.; flowers in a spike, showy, purple and white; Vt. . . . .	1 00	5 00	

	Per 12	Per 100	Per 1000
POGONIA divaricata. S. . . . .	\$1 50		
ophioglossoides. 6 to 12 in.; flowers one inch long, sweet-scented, pale rose color; Vt. . . . .	75	4 00	
verticillata. 8 to 15 in.; flowers purplish; M. . . . .	75	4 00	
SPIRANTHES (Ladies' Tresses)—			
cernua. 6 to 20 in.; flowers white, in a twisted spike; Vt. . . . .	50	3 00	
gracilis, . . . . .	75	4 00	
Romanzoviana. 5 to 15 in.; flowers white; M. . . . .	1 50	8 00	
latifolia. 4 to 9 in.; flowers yellowish white; Vt. . . . .	2 00		
TIPULARIA discolor (Crane Fly Orchis). 10 to 18 in.; Vt. . . . .	3 00	12 00	

## ♦♦♦ FERNS.

	Per 12	Per 100	Per 1000
ACROSTICHUM aureum. Fla. . . . .	\$3 00		
ADIANTUM (Maiden Hair)—			
pedatum. 1 to 2 ft.; fronds forked at the summit, del- icate and graceful; Vt. . . . .	75	4 00	30 00
ALTHRYRIUM Michauxii. 1 to 3 ft.; fronds narrow; Vt. . . . .	1 25	7 00	
ASPIDIUM (Shield Fern or Wood Fern)—			
acrosticoides. 6 to 15 in.; fronds narrow, somewhat scythe-shaped; Vt. . . . .	75	4 00	30 00
aculeatum var. Braunii. 1 to 2 ft.; Vt. . . . .	1 25	7 50	
munitum. 2 to 5 ft.; N. W. . . . .	2 00	10 00	
munitum. Small plants, 5 to 12 in.; N. W. . . . .	1 00	5 00	
Boottii. Fronds 1 to 3 ft.; Vt. . . . .	1 25	7 50	
cristatum. 1 to 2½ ft.; fronds narrow; Vt. . . . .	75	4 00	
cristatum var. Clintonianum. Larger, 2 to 4 ft.; low woods; Vt. . . . .	1 25	7 50	
fragrans (Fragrant Fern). Fronds 4 to 12 in.; fra- grant; Vt. . . . .	2 50	15 00	
Noveboracense. Fronds 1 to 2 ft.; pale green, and very graceful; Vt. . . . .	75	4 00	
patens. S. . . . .	1 25	6 00	
rigidum var. argutum. N. W. . . . .	1 25	7 50	
Lonchitis. N. W. . . . .	1 50	8 00	
marginale. Fronds evergreen; 1 to 2 ft.; deep green; Vt. . . . .	75	4 00	
spinulosum. Fronds 1 to 3 ft.; damp woods; Vt. . . . .	75	4 00	
spinulosum var. intermedium. Vt. . . . .	75	4 00	
spinulosum var. dilatatum. Mountain woods; Vt. . . . .	2 00	10 00	
thelypteris. Fronds lanceolate, 1 to 3 ft.; Vt. . . . .	75	4 00	
ASPLENIUM (Spleen Wort)—			
angustifolium. Fronds 2 to 3 ft.; long and narrow; rich woods; Vt. . . . .	75	4 00	
ebenium. Fronds 5 to 12 in.; 1 inch wide; rocky open woods; Vt. . . . .	75	4 00	
parvalum. S. . . . .	1 25	6 00	
Ruta-muraria. Fronds 1 to 3 in.; limestone cliffs; Vt. . . . .	1 50	6 00	
thelypteroides. 1½ to 4 ft.; rich woods; Vt. . . . .	75	4 00	
trichomanes. 3 to 6 in.; moist shaded rocks; Vt. . . . .	75	4 00	



	Per 12	Per 100	Per 1000
ASPLENIUM viride. 2 to 4 in.; shaded alpine cliffs; Vt.	\$1 20	\$7 50	
BLECHNUM serrulatum. S.	1 25	6 00	
BOTRYCHIUM (Moon-wort)—			
lanceolatum. Vt.	1 00	5 00	
matricariæfolium. Vt.	1 50	7 00	
ternatum. 9 to 12 in.; Vt.	75	4 00	
Virginicum. 6 to 20 in.; Vt.	75	4 00	
CAMPTOSORUS rhizophyllus (Walking Leaf). 4 to 8 in.;			
Vt.	75	4 00	25 00
CHEILANTHES (Lip Fern)—			
gracillima. N. W.	1 00	5 00	
tomentosa. S.	1 50	8 00	
vestata. 6 to 15 in.; M.	1 00	5 00	
CRYPTOGRAMME acrosticoides. 4 to 10 in.; N. W.	1 25	5 00	
CYSTOPTERIS (Bladder Fern)—			
bulbifera. 1 to 2 ft.; Vt.	75	4 00	
fragilis. 4 to 12 in.; Vt.	50	3 00	
DICKSONIA punctilobula. 1 to 3 ft.; Vt.	75	4 00	
GYMNOGRAMME triangularis. 6 to 15 in.; Cal.	1 25	5 00	
LASTRÆA (Aspidium)—			
Goldieana. 20 to 40 in.; Vt.	1 25	7 50	
LOMARIA Spicant. N. W.	1 00	5 00	
LYGODIUM palmatum (Climbing Fern). 1 to 3 ft.; M.	1 25	6 00	
ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft.; Vt.	75	4 00	20 00
Struthiopteris (Ostrich Fern). 1 to 6 ft.; Vt.	1 25	5 00	
OPHIOGLOSSUM vulgatum. Mass.	75	4 00	
OSMUNDA (Flowering Fern)—			
gracilis. A narrow leaved form of <i>O. regalis</i> ; 1 to 5			
ft.; Vt.	75	4 00	
Claytoniana. 1 to 5 ft.; Vt.	1 25	6 00	
cinnamomea (Cinnamon Fern). 1 to 6 ft.; Vt.	1 25	6 00	
PELÆA (Cliff Brake)—			
atropurpurea. 3 to 10 in.; Vt.	75	4 00	
densa. 4 to 10 in.; N. W.	1 00	5 00	
gracilis. 3 to 5 in.; Vt.	1 00	5 00	
PHEGopteris (Beech Fern)—			
Dryopteris. About 6 in.; Vt.	75	4 00	
hexagonoptera. 6 to 12 in.; Vt.	75	4 00	
polypodioides. 4 to 10 in.; Vt.	75	4 00	
POLYPODIUM falcatum. 6 to 15 in.; N. W.	1 25	6 00	
incanum. S. on trees,	75	4 00	
vulgare. 4 to 10 in.; Vt.	50	3 00	20 00
SCHIZÆA pusilla. M.	2 00	10 00	
SCOLOPENDRIUM vulgare. M.	3 00		
VITTARIA lineata. Fla.	2 00		
WOODSIA glabella. 1 to 5 in.; Vt.	1 50	8 00	
Ilvensis. 2 to 6 in.; Vt.	75	4 00	
obtus. 6 to 12 in.; fronds broader than the preced-			
ing; Vt.	75	4 00	
Oregana. 2 to 8 in.; N. W.	1 00	5 00	
scopulina. 6 to 12 in.; N. W.	1 00	5 00	

	Per 12	Per 100	Per 1000
WOODWARDIA (Chain Fern)—			
angustifolia. 12 to 18 in.; M.	\$1 00	\$5 00	
Virginica. 2 to 3 ft.; Vt.	1 00	5 00	35 00

## CLUB MOSSES.

	Per 12	Per 100	Per 1000
LYCOPODIUM complanatum. Creeping; ascending branches			
forked above; very pretty; Vt.	\$1 50	\$8 00	
clavatum. Creeping extensively, with short and very			
leafy branches; Vt.	1 50	8 00	
dendroidum. Stems upright; 6 to 9 in.; remarkable			
for its tree-like growth; Vt.	1 50	8 00	
lucidulum. 6 to 12 in.; Vt.	1 25	5 00	
Selago. 3 to 6 in.; stems thick and rigid; fork			
branched, forming a level-topped cluster; Vt.	2 00	10 00	
SELAGINELLA rupestris. Much branched, in close tufts;			
1 to 3 in.	75	4 00	
apus,	75	4 00	

## SHRUBS AND VINES.

	Per 12	Per 100	Per 1000
ADLUMIA cirrhosa. Vt.	\$0 75	\$4 00	
ANDROMEDA polifolia. Vt.	75	3 00	15 00
ARISTOLOCHIA Siphon. S.	1 75		
AZALEA calendulacea. S.	1 50	7 00	
nudiflora. M.	1 00	5 00	40 00
Vaseyi. New, from mountains of N. C.	5 00		
viscosa. Collected; M.	75	3 00	20 00
viscosa. Established,	1 00	5 00	
Canandra calyculata,	50	2 50	15 00
CHIOGENES hispidula. A little evergreen creeper; Vt.	75	4 00	
CLEMATIS coccinea. S.	1 50	7 00	
crispa. S.	1 50	8 00	
Douglasi. W.	1 50		
ochroleuca. M.	1 50	8 00	
verticillaris,	1 25	6 00	
viorna. M.	1 50		
Virginica. Vt.	1 00	5 00	30 00
DIOSCOREA villosa,	75	4 00	
DIRCA palustris. Vt.	1 25	5 00	
DIERVILLA trifida. Vt.	75	4 00	25 00
GAYLUSSACIA resinosa. Vt.	75	4 00	
GELSEMIUM sempervirens (Yellow Jessamine). S.	1 00	6 00	
ILEX verticillata. Vt.	1 00	5 00	
KALMIA angustifolia. Vt.	1 00	5 00	
glauca. Vt.	75	4 00	
hirsuta. 6 to 18 in.; S.	1 00	5 00	
latifolia. M.	1 00	5 00	35 00
LEDUM latifolium. Vt.	1 00	5 00	
LAURUS officinale (Sassafras). M.	75	4 00	
RHUS aromatica. Vt.	1 50	6 00	